

CAMRADE

CAMRADE



READY FOR **ACTION**

2009 / 2010

VIDEO (PROFESSIONAL CAMERAS)

Through years of expertise camRade has created an extended range of professional camera bags. Wherever you go, camRade offers you maximum protection by using high quality material such as Cordura 1000 and specially made, soundproof, rain cover material. camRade ensures the professional will continue using their camera in the most extreme circumstances.



camBags

The camRade camBag is a high quality well padded camera bag. camRade bags are made from 100% cordura, the interior is pvc coated this makes the bag more durable, water-repellent and gives a better equipment protection. All camRade bags now have a non slipping extra protective bottom, easy access due to the dual zippers and enough external pockets for accessories. Suede shoulder strap and white balance card included.



camBag 750

Sony	
Description	Model No
BVP - 30	CB - 650
BVP - 30 with Beta	CB - 650
BVP - 50	CB - 650
BVP - 50 with Beta	CB - 650
BVP - 70	CB - 650
BVP - 70 with Beta	CB - 650
BVP - 90	CB - 650
BVP - 90 with Beta	CB - 650
BVW - 200	CB - 650
BVW - 300	CB - 650
BVW - 400	CB - 650
BVW - 600	CB - 650
DCR - VX 1000 / 2000	CB - Single I
DNW - 7	CB - 650
DNW - 90	CB - 650

DSR - 130	CB - 750
DSR - 135	CB - 750
DSR - 250	CB - 575
DSR - 300	CB - 575
DSR - 370	CB - 575
DSR - 400	CB - 575
DSR - 450	CB - 575
DSR - 500	CB - 575
DSR - 570	CB - 575
DSR - PD 100	CB - Single I
DSR - PD 150	CB - Single I
DSR - PD 170	CB - Single I
DSR - PDX 10P	CB - Single I
DVW - 700	CB - 650
DVW - 709	CB - 650
DVW - 790	CB - 650
DVW - 970	CB - 750
DXC - 325 with Beta	CB - 650
DXC - 327 with Beta	CB - 650
DXC - 537A with Beta	CB - 650
DXC - 637 (PVV1, PVV3, BVV5)	CB - 650
DXC - D30 (PVV1, PVV3, BVV5)	CB - 750
DXC - D35 (PVV1, PVV3, BVV5)	CB - 750
HDC - 1400	CB - 650
HDC - 1500	CB - 650
HDC - 1550	CB - 650
HDR - FX7	CB - Single I
HDR - HC1	CB - Single I
HDW - 700	CB - 750
HDW - 730	CB - 750
HDW - 750	CB - 750
HDW - 790	CB - 750
HDW - 900	CB - 750
HVR - HD1000	CB - HD1000
HVR - A1E	CB - Single I
HVR - S270E	CB - 575
HVR - V1E	CB - Single I
HVR - Z1 / FX1	CB - Single I
HVR - Z5	CB - Single I
HVR - Z7E	CB - Single I
MSW - 900	CB - 750
PDW - 510P	CB - 750
PDW - 530P	CB - 750
PDW - 700	CB - 750
PDW - F 330	CB - 750
PDW - F 335	CB - 750
PDW - F 350	CB - 750
PDW - F 355	CB - 750
PMW - EX1	CB - Single I
PMW - EX3	CB - Single III
UVW - 100	CB - 650

Red product = new product

Panasonic	
Description	Model No
AG - DVC 15	CB - 575
AG - DVC 30	CB - Single I
AG - DVC 60	CB - 575
AG - DVX 100(A)	CB - Single I
AG - HMC 70	CB - Single I
AG - HMC 150	CB - Single I
AG - HPX 170	CB - Single I
AG - HPX 300	CB - 650
AG - HPX 500	CB - 750
AG - HVX 200	CB - Single I
AJ - HDX 400	CB - 750
AJ - HDX 900	CB - 750
AJ - HPX 2000	CB - 750
AJ - HPX 2100	CB - 750
AJ - HPX 3000	CB - 750
AJ - SPX 800	CB - 750
AJ - SPX 900	CB - 750
AJ - SPC 700	CB - 750
AJ - SDC 905	CB - 750
AJ - SDC 615	CB - 750
AJ - D SDX 900	CB - 750
AJ - D200	CB - 650
AJ - D210	CB - 650
AJ - D215	CB - 650
AJ - D300	CB - 650
AJ - D400	CB - 650
AJ - D410	CB - 650
AJ - D610	CB - 750
AJ - D700	CB - 650
AJ - D800	CB - 650
AJ - D810	CB - 750
AJ - D900	CB - 750
AJ - DP800	CB - 650
AJ - DVC 200	CB - 650

JVC	
Description	Model No
GY - DV300	CB - Single I
GY - DV 700 Standard	CB - GY 5000
GY - DV 500 incl AB Batterie	CB - 575
GY - DV 550 incl AB Batterie	CB - 575
GY - DV 700 incl AB Batterie	CB - 575
GY - DV 5000 incl Firestore	CB - GY 5000
GY - DV 5101 incl Firestore	CB - GY 5000
GY - HD 100	CB - 575
GY - HD 100	CB - Single II
GY - HD 200	CB - 650
GY - HD 200	CB - Single II

GY - HD 250	CB - 650
GY - HD 250	CB - Single II
GY - HM 100	CB - Single I
GY - HM 700	CB - 575
GY - X2	CB - 650
GY - X3	CB - 650
KY - 29	CB - 650
KY - 27	CB - 650
KY - 19	CB - 650
KY - 90	CB - 650
KY - 80	CB - 650
KY - 35	CB - 650

Ikegami	
Description	Model No
HK - 399 PW	CB - 750
DNS - 201 W	CB - 750
DNS - 33 W	CB - 750
DNS - 101	CB - 750
DNS - 11	CB - 750
DNS - 201	CB - 750
DNS - 201 W	CB - 750
HL - 53 Beta	CB - 750
HL - 55 Beta	CB - 750
HL - 57 Beta	CB - 750
HL - 59 Beta	CB - 750
HL - 73+W	CB - 750
HL - 75W	CB - 750
HL - 79W	CB - 750
HL - DV5	CB - 750
HL - DV7 W	CB - 750
HL - V55	CB - 750
HL - V77+W	CB - 750

Canon	
Description	Model No
GL - I	CB - Single I
GL - II	CB - Single I
XL - H1	CB - Single III
XL - I / II	CB - Single III
XM - I	CB - Single I
XM - II	CB - Single I

Thomson / Grass Valley	
Description	Model No
LDK - 110	CB - 650
LDK - 10 Studio	CB - 650
LDK - 10P Triax	CB - 650

LDK - 120	CB - 650
LDK - 150	CB - 650
LDK - 20 Studio	CB - 650
LDK - 20P Triax	CB - 650
LDK - 391	CB - 650
LDK - 491	CB - 650
LDK - 700	CB - 650
DMC - 1000	CB - 750

Hitachi	
Description	Model No
Z - 2010 A	CB - 650
Z - One / Beta, MKII	CB - 650
Z - V1A	CB - 650

RED	
Description	Model No
RED	CB HD Large



camBag Single III



camBag Single III back



camBag Single I

Internal dimensions camBags		
Description	Dimensions in mm	Dimensions in inch
CB - 575	575 x 160 x 260 mm	22,6 x 6,3 x 10,2 inch
CB - 650	650 x 250 x 320 mm	25,6 x 9,8 x 12,6 inch
CB - 750	750 x 250 x 320 mm	29,5 x 9,8 x 12,6 inch
CB - GY 5000	Custom for GY 5000/5101	
CBS1	520 x 160 x 220 mm	20,5 x 6,3 x 8,7 inch
CBS2	640 x 240 x 250 mm	25,2 x 9,5 x 9,8 inch
CBS3	520 x 260 x 270 mm	20,5 x 10,2 x 10,6 inch

HEAVY DUTY BAGS

This is a new line of camRade camera bags. The HD small and large are designed to give maximum protection for your equipment. You can adapt the inside to the personal set up of your camera and leave enough space to store all necessary accessories in the inside of the bag. Due to the square design and the 'heavy duty' protection you are able to put more bags on top of each other without damaging your equipment.



CB HD Small



CB HD Small

CB HD Small	
Description	Dimensions
For all camera's up to 500 mm / 19,7 inch	500 x 240 x 260 mm 19,7 x 9,5 x 10,2 inch

CB HD Large



CB HD Large

CB HD Large	
Description	Dimensions
For all camera's up to 750mm / 29,5 inch	750 x 290 x 290 mm 29,5 x 11,4 x 11,4 inch

RED	
Description	Model No
RED	CB HD Large

Beside the Video and Audio product lines, camRade offers all kind of protection. Carrying bags and accessories for monitors, tripods and lenses. camRade has also developed an ingenious solution for the transportation of your lighting equipment that can be used as a backpack. Our bags are made of high quality material, conforming to the high standards, associated with all camRade products.



travelMate 720

travelMate

travelMate is an extremely practical backpack, ruggedly made from Cordura 1000 material, and designed to carry cameras and accessories with maximum ease. The backpack is configured so that weight is evenly distributed across shoulders and hips, thereby achieving optimum comfort. travelMate is particularly suitable for motorcycle use or simply when you need to keep both hands free. The TM Handy I now also includes a notebook computer pocket.



travelMate Handy I

TM Handy and other mini-DV Solution		
Brand	Description	Model No
Sony	DSR - PD 100	TM - Handy I
	DSR - PD 150	TM - Handy I
	DSR - PD 170	TM - Handy I
	DSR - PDX 10	TM - Handy I
	HDR - FX7	TM - Handy I
	HDR - HC1	TM - Handy I
	HVR - HD 1000	TM - 575
	HVR - V1	TM - Handy I
	HVR - Z1 / FX1	TM - Handy I
	HVR - Z5	TM - Handy I
	HVR - Z7E	TM - Handy I
Panasonic	PMW - EX1	TM - Handy I
	PMW - EX3	TM - 575
	AG - DVX 100	TM - Handy I
	AG - DVC 60	TM - 575
	AG - DVC 30	TM - Handy I
	AG - HMC 70	TM - Handy I
JVC	AG - HMC 150	TM - Handy I
	AG - HPX 170	TM - Handy I
	AG - HVX 200	TM - Handy I
	GY - DV 300	TM - Handy I
	GY - HD 100	TM - 575
	GY - HD 200	TM - 640
	GY - HD 250	TM - 640
	GY - HM 100	TM - Handy I
Canon	GY - HM 700	TM - 575
	GL - I	TM - Handy I
	GL - II	TM - Handy I
	XL - I / II / H1	TM - 575
	XM - I	TM - Handy I
	XM - II	TM - Handy I

travelMate 575	
Description	Dimensions
The backpack solution for cameras up to 575 mm / 22,7 inch	300 x 200 x 575 mm 11,8 x 7,9 x 22,7 inch

travelMate 640	
Description	Dimensions
The backpack solution for cameras up to 640 mm / 25,2 inch	300 x 200 x 640 mm 11,8 x 7,9 x 25,2 inch

travelMate 720	
Description	Dimensions
The backpack solution for cameras up to 720 mm / 28,3 inch	320 x 200 x 720 mm 12,6 x 7,9 x 28,3 inch

CAMERA PROTECTION

wetSuits

The camRade wetSuit gives your camera the ultimate 'bad-Weather' protection and maintains easy access to all control parts of the camera including the lcd screen, the noiseless fabric, unique to the camRade wetSuit, reduces unwanted sound effects caused by wind and rain.



Sony	
Description	Model No
BVP - 30	WS - 2
BVP - 30 with Beta	WS - 2
BVP - 50	WS - 2
BVP - 50 with Beta	WS - 2
BVP - 70	WS - 2
BVP - 70 with Beta	WS - 2
BVP - 90	WS - 2
BVP - 90 with Beta	WS - 2
BVW - 200	WS - 2
BVW - 300	WS - 2
BVW - 400	WS - 2
BVW - 600	WS - 2
DNW - 7	WS - 2
DNW - 90	WS - 2
DSR - 130	WS - 2
DSR - 135	WS - 2
DSR - 200	WS - DSR 200
DSR - 250	WS - DSR 300
DSR - 300	WS - DSR 300
DSR - 370	WS - DSR 300
DSR - 400	WS - DSR 400/450
DSR - 450	WS - DSR 400/450
DSR - 500	WS - DSR 300
DSR - 570	WS - DSR 300
DSR - PD 150	WS - PD 170
DSR - PD 170	WS - PD 170
DSR - PDX 10P	WS - HVRA1 / PDX10
DVW - 700	WS - 2
DVW - 709	WS - 2
DVW - 790	WS - 2
DVW - 970	WS - 2
DXC - 30	WS - 2
DXC - 325 with Beta	WS - 2
DXC - 327 with Beta	WS - 2
DXC - 537A with Beta	WS - 2
DXC - 637 (PVV1, PVV3, BVV5)	WS - 2
DXC - D30 (PVV1, PVV3, BVV5)	WS - 2
DXC - D35 (PVV1, PVV3, BVV5)	WS - 2
HDC - 1400	WS - 2
HDC - 1500	WS - 2
HDC - 1550	WS - 2
HDR - HC1	WS - HDR A1
HDR - FX7	WS - HDR Z1
HDW - 700	WS - 2
HDW - 730	WS - 2
HDW - 750	WS - 2
HDW - 790	WS - 2
HDW - 900	WS - 2
HVR - A1	WS - HVRA1 / PDX10

HVR - HD 1000	WS - HVR S270
HVR - S270	WS - HVR S270
HVR - V1	WS - HVRV1
HVR - Z1 / FX1	WS - HVRZ1E / FX1
HVR - Z5	WS - HVRZ1/Z5
HVR - Z7E	WS - PMWEX1/HVRZ7E
MSW - 900	WS - 2
PDW - 510P	WS - 2
PDW - 530P	WS - 2
PDW - 700	WS - 2
PDW - F 330	WS - 2
PDW - F 335	WS - 2
PDW - F 350	WS - 2
PDW - F 355	WS - 2
PMW - EX1	WS - PMWEX1/HVRZ7E
PMW - EX3	WS - PMW EX3
UWV - 100	WS - 2

Panasonic	
Description	Model No
AG - DVC 30	WS - DVC 30
AG - DVC 60	WS - DVC 60
AG - DVX100(A)	WS - DVX100
AG - HMC 150	WS - HVX200/HPX170
AG - HPX 170	WS - HVX200/HPX170
AG - HPX 300	WS - 2
AG - HPX 500	WS - HPX 500
AG - HVX200	WS - HVX200
AJ - HDX 400	WS - 2
AJ - HDX 900	WS - 2
AJ - HPX 2000	WS - 2
AJ - HPX 2100	WS - 2
AJ - HPX 3000	WS - 2
AJ - SPX 800	WS - 2
AJ - SPX 900	WS - 2
AJ - SPC 700	WS - 2
AJ - SDC 905	WS - 2
AJ - SDC 615	WS - 2
AJ - D SDX 900	WS - 2
AJ - D200	WS - 2
AJ - D210	WS - 2
AJ - D215	WS - 2
AJ - D300	WS - 2
AJ - D400	WS - 2
AJ - D410	WS - 2
AJ - D610	WS - 2
AJ - D700	WS - 2
AJ - D800	WS - 2
AJ - D810	WS - 2
AJ - D900	WS - 2

AJ - DP800	WS - 2
AJ - DVC 200	WS - 2

JVC	
Description	Model No
KY - 29	WS - 2
KY - 27	WS - 2
KY - 19	WS - 2
KY - 90	WS - 2
KY - 80	WS - 2
KY - 35	WS - 2
GY - X2	WS - 2
GY - X3	WS - 2
GY - DV 300	WS - GY300
GY - DV 500 Standard	WS - GY500
GY - DV 550 Standard	WS - GY500
GY - DV 700 Standard	WS - GY500
GY - DV 500 incl. AB Batterie	WS - GY500
GY - DV 550 incl. AB Batterie	WS - GY500
GY - DV 700 incl. AB Batterie	WS - GY500
GY - DV 5000 incl. Firestore	WS - GY5000
GY - DV 5101 incl. Firestore	WS - GY5000
GY - HD 100	WS - GY HD100/200/250
GY - HD 200	WS - GY HD100/200/250
GY - HD 250	WS - GY HD100/200/250
GY - HM 100	WS - GY HM100
GY - HM 700	WS - GY HM700

Ikegami	
Description	Model No
HK - 399 PW	WS - 2
DNS - 201 W	WS - 2
DNS - 33 W	WS - 2
DNS - 101	WS - 2
DNS - 11	WS - 2
DNS - 201	WS - 2
DNS - 201 W	WS - 2
HL - 53 Beta	WS - 2
HL - 55 Beta	WS - 2
HL - 57 Beta	WS - 2
HL - 59 Beta	WS - 2
HL - 73+W	WS - 2
HL - 75W	WS - 2
HL - 79W	WS - 2
HL - DV5	WS - 2
HL - DV7 W	WS - 2
HL - V55	WS - 2
HL - V77+W	WS - 2

Canon	
Description	Model No
GL - II	WS - XM II / GLII
XL - I	WS - XL I / II / H1
XL - II	WS - XL I / II / H1
XL - H1	WS - XL I / II / H1
XM - II	WS - XM II / GLII

Thomson / Grass Valley	
Description	Model No
LDK - 110	WS - 2
LDK - 10 Studio	WS - LDK 10S
LDK - 10P Triax	WS - LDK 10P
LDK - 120	WS - 2
LDK - 150	WS - 2
LDK - 20 Studio	WS - LDK 10S
LDK - 20P Triax	WS - LDK 10P
LDK - 391	WS - 2
LDK - 491	WS - 2
LDK - 700	WS - 2
DMC - 1000	WS - DMC 1000

Hitachi	
Description	Model No
Z - 2010 A	WS - 2
Z - One / Beta, MKII	WS - 2
Z - V1A	WS - 2

RED	
Description	Model No
RED	WS - RED



Studio / OB wetSuits	
Description	Model No
WS OB ENG	WS OB ENG
WS OB STUDIO	WS OB ST

For customised solution contact your local dealer.



CAMERA PROTECTION

camSuits

Customized camera protection made from 100% cordura includes extra foam padding at the inside. It protects the camera from bumps and scratches. The separate built-in raincover gives your camera additional 'bad-weather' protection if needed. The camRade camSuit maintains an easy and comfortable access all camera controls.



camSuit PDW510 / 530 options

Sony	
Description	Model No
BVW - 200	CS - 400
BVW - 300	CS - 400
BVW - 400	CS - 400
BVW - 600	CS - 600
DNW - 7	CS - DNW 7
DNW - 90	CS - DNW 7
DSR - 130	CS - 130
DSR - 135	CS - 130
DSR - 250	CS - 250
DSR - 300	CS - DSR 300
DSR - 370	CS - DSR 300
DSR - 400	CS - DSR 400/450
DSR - 450	CS - DSR 400/450
DSR - 500	CS - DSR 300
DSR - 570	CS - DSR 300
DVW - 700	CS - DVW 709
DVW - 709	CS - DVW 709
DVW - 790	CS - DVW 709
DVW - 970	CS - MSW 900
DXC - 30	CS - DXC 30
HDW - 700	CS - HDW 700/750
HDW - 730	CS - HDW 700/750



camSuit HVR S270

HDW - 750	CS - HDW 700/750
HDW - 790	CS - HDW 700/750
HDW - 900	CS - HDW 700/750
HVR - S270	CS - HVR S270
MSW - 900	CS - DNW 7
PDW - 510P	CS - PDW510/530
PDW - 530P	CS - PDW510/530
PDW - 700	CS - PDW700
PDW - F 330	CS - PDW F 330/350
PDW - F 335	CS - PDW F 330/350
PDW - F 350	CS - PDW F 330/350
PDW - F 355	CS - PDW F 330/350
PMW - EX3	CS - PMW EX3

Panasonic	
Description	Model No
AG - HPX 300	CS - HPX 300
AG - HPX 500	CS - HPX 500
AJ - HDX 400	CS - HPX 2100
AJ - HDX 900	CS - HPX 2100
AJ - HPX 2000	CS - HPX 2100
AJ - HPX 2100	CS - HPX 2100
AJ - HPX 3000	CS - HPX 2100
AJ - SPX 800	CS - HPX 2100
AJ - SPX 900	CS - HPX 2100
AJ - SPC 700	CS - HPX 2100
AJ - SDC 905	CS - HPX 2100
AJ - SDC 615	CS - HPX 2100
AJ - SDX 900	CS - HPX 2100
AJ - D200	CS - 215
AJ - D210	CS - 215
AJ - D215	CS - 215
AJ - D300	CS - 215
AJ - D400	CS - 900
AJ - D410	CS - 410
AJ - D610	CS - 900
AJ - D700	CS - 900
AJ - D800	CS - 900
AJ - D810	CS - 900
AJ - D900	CS - 900
AJ - D913	CS - 900
AJ - DP800	CS - 700
AJ - DVC 200	CS - 410

JVC	
Description	Model No
GY - DV 500 Standard	CS - GY 500
GY - DV 550 Standard	CS - GY 500
GY - DV 700 Standard	CS - GY 500

GY - DV 5000/incl Firestore	CS - GY 5000
GY - DV 5101/incl Firestore	CS - GY 5000
GY - HD 100	CS - GY HD 100/200/250
GY - HD 200	CS - GY HD 100/200/250
GY - HD 250	CS - GY HD 100/200/250
GY - HM 700	CS - GY HD 700

Ikegami	
Description	Model No
DNS - 201 W	CS - DNS 201W
DNS - 33 W	CS - DNS 33W
HL - DV7 W	CS - DV5
HL - DV5	CS - DV5

Thomson / Grass Valley	
Description	Model No
LDK - 120	CS - LDK 120
LDK - 150	CS - LDK 120
LDK - 391	CS - 400
LDK - 491	CS - 400
LDK - 700	CS - 700
DMC - 1000	CS - DMC 1000



camSuit PMW Ex3

snowCoat

This highly insulated thermal camera jacket keeps your camera, batteries, lens and hands warm at extremely low temperatures. This beautiful camRade product will maintain the right temperature for more than 6 hours.



snowCoat

snowCoat I	
Description	Model No
For all cameras up to 650 mm / 25,6 inch	SC I

snowCoat II	
Description	Model No
For all cameras up to 750 mm / 29,5 inch	SC II

snowCoat III	
Description	Model No
For all cameras up to 575 mm / 22,6 inch	SC III



snowCoat

Sony	
Description	Model No
DSR - PD 150	SCC I
DRS - PD 170	SCC I
HDR - FX7	SCC III
HVR - V1	SCC I
HVR - Z1 / FX1	SCC III
HVR - Z5	SCC III
HVR - Z7E	SCC III
PMW - EX1	SCC III
PMW - EX3	SC III

Panasonic	
Description	Model No
AG - DVX 100	SCC II
AG - HVX 200	SCC II
AG - HPX 170	SCC II

JVC	
Description	Model No
GY - DV 300	SCC II
GY - HD 100	SC III
GY - HD 200	SC III
GY - HD 250	SC III
GY - HM 100	SCC II

RED	
Description	Model No
RED	SC RED

desertSuit

The desertSuit is the latest feature in camera covers. This suit protects your camera from dust and water, it is made of the same noiseless material as the wetSuit so it will reduce the noise around the camera. Because the cover is manufactured in a white reflecting material it minimizes the heating effect of the sun.



desertSuit

desertSuit	
Description	Model No
desertSuit 2	DS 2
All camera's that will fit the wetSuit 2	

Sony	
Description	Model No
DSR - PD 150	DS - PD 170
DSR - PD 170	DS - PD 170
HDR - FX7	DS - HDR Z1
HVR - V1	DS - HVR V1
HVR - Z1 / FX1	DS - HVR Z1/Z5
HVR - Z5	DS - HVR Z1/Z5
HVR - Z7E	DS - PMWEX1/HVRZ7E
PMW - EX1	DS - PMWEX1/HVRZ7E
PMW - EX3	DS - PMWEX3

Panasonic	
Description	Model No
AG - DVX 100	DS - DVX 100
AG - HVX 200	DS - HVX200/HPX170
AG - HPX 170	DS - HVX200/HPX170

JVC	
Description	Model No
GY - HD 100	DS - GY HD 100/200/250
GY - HD 200	DS - GY HD 100/200/250
GY - HD 250	DS - GY HD 100/200/250
GY - HM 700	DS - GY HM 700

Canon	
Description	Model No
XL I	DS - XL I / II / H1
XL II	DS - XL I / II / H1
XL H1	DS - XL I / II / H1

RED	
Description	Model No
RED	DS - RED

AUDIO

camRade offers you a wide variety of bags for your audio equipment. camRade knows the sound engineer wants to carry additional equipment next to his audio mixer, camRade lets you do this with ease. The 'developed' audioStrap. Due to its sophisticated design carrying audio mixers was never so easy!



audioMaster

The audioMaster protects each specific mixer model in a specially tailored case. The vinyl window enables the user to read the meters.



audioMaster

audioMaster		
Brand	Description	Model No
Audio development	AD-261	AMAS
Cooper	CS-104	AMAS
SQN	4	AMAS
SQN	5	AMAS
Sounddevices	442	AMAS
Sounddevices	744	AMAS
Internal dimensions: 305 x 50 x 210 mm / 12 x 2 x 8,3 inch		

audioMate

The camRade audioMate enables the sound engineer to carry along additional equipment next to his audio mixer. This bag also contains a divider system to create your own inside.



audioMate I

audioMate I / II	
Description	Model No
Internal dimensions: 270 x 140 x 150 mm 10,6 x 5,5 x 6 inch	AMATE I
Internal dimensions: 400 x 140 x 200 mm 15,7 x 5,5 x 7,9 inch	AMATE II

audioStrap

This comfortable padded strap helps the sound engineer carry his audioMaster or audioMate. The included waist belt holds these cases close to the sound engineer's body.



audioStrap

audioStrap	
Description	Model No
audioStrap for audioMaster or audioMate	AS

special Items


We can also offer you the following special made items.



Specials		
Brand	Description	Model No
Nagra	ARES	ARES Bag
	Nagra V	ARES Bag
	Nagra VI	Nagra VI Bag
	Nagra LB	Nagra LB Bag
Sounddevices	Mix Pre	AB SD 01 / AB SD 02
	302	AB SD 01 / AB SD 02
	744 T	AB SD 01 / AB SD 02
AB SD 01 Internal dimensions: 210 x 45 x 210 mm / 8,3 x 1,8 x 8,3 inch		
AB SD 02 Internal dimensions: 230 x 100 x 280 mm / 9 x 4 x 11 inch		



OTHER PRODUCTS



transPorter family

transPorter II

transPorter

This comfortable accessory bag gives the cameraman, as well as the sound engineer, more room for cables, batteries and personal belongings. Every camRade transporter contains a divider kit, with which you can create your own inside.



transPorter I

transPorter I	
Description	Model No
transPorter I	TP - I
Internal dimensions: 480 x 200 x 270 mm / 18,9 x 7,9 x 10,6 inch	

transPorter II	
Description	Model No
transPorter II	TP - II
Internal dimensions: 340 x 200 x 250 mm / 13,4 x 7,9 x 9,8 inch	

transPorter XL	
Description	Model No
transPorter XL	TP - XL
Internal dimensions: 700 x 230 x 330 mm / 27,6 x 9 x 13 inch	

tripodBag

A carefully designed bag to carry your tripod in the most convenient way. Following feedback from existing camRade users the bag has been designed to be square which in addition to the providing maximum protection reduces the risk of the bag rolling off trolleys or conveyor belts. This bag has a standard backpack option.



tripodBag I

tripodBag I / tripodBag I ROLL	
Description	Model No
tripodBag I	TPB I
tripodBag I ROLL	TPB I ROLL
Internal dimensions: 950 x 180 x 200 mm / 37,5 x 7 x 7,9 inch	

tripodBag II / tripodBag II ROLL	
Description	Model No
tripodBag II	TPB II
tripodBag II ROLL	TPB II ROLL
Internal dimensions: 1050 x 240 x 250 mm / 41,5 x 9,5 x 9,8 inch	

lightBag

The lightBag helps you carrying your lighting with maximum ease and gives your equipment extra protection. This bag contains 4 dividers.



lightBag

lightBag	
Description	Model No
lightBag	LB
lightBag ROLL	LB ROLL
Internal dimensions: 950 x 290 x 200 mm / 37,5 x 11,4 x 7,9 inch	

OTHER PRODUCTS

monitorGuard

Also for other classic monitors including a bracket. The monitorGuard provides everyday protection for portable field monitors. The fold-up standard offers a better viewing angle and stable position.



monitorGuard

monitorGuard I / II	
Description	Model No
monitorGuard I	MG I
Fits all 9" field monitors	
monitorGuard II	MG II
Fits all 10" field monitors	
monitorGuard III	MG III
Fits Sony LMD 9050	
Is delivered with adapter kit for 8.4" monitor	
monitorGuard IIII	MG IIII
Fits Panasonic LH80W / LH 900	
monitorGuard Kroma	MG LM 6109
Fits Kroma LM 6109	
monitorGuard LVM071W	MG LVM071W
Fits TV Logic LVM071W	
monitorGuard LVM091W	MG LVM091W
Fits TV Logic LVM091W and also JVC DT V9L1D	
monitorGuard TVL 17"	MG TVL 17"
Fits TV Logic 17" monitors	
monitorGuard 17"	MG 17"
Fits Panasonic BT - LH1760	

lensCase

The lensCase offers protective carrying comfort for 2 lenses or for 1 lens with accessories. On the side, a detachable filter case with protective dividers is included. The big front compartment offers extra room for tapes.



lensCase

lensCase	
Description	Model No
This lensCase offers protection for two lenses or for one lens with accessories. The big front compartment offers extra room for tapes, wires etc.	LC
Internal dimensions: 350 x 200 x 300 mm / 13,8 x 7,9 x 12 inch	

litepanelBag

The camRade litepanelBag is especially designed for the Litepanel 1x1. This bag can carry 2 1x1 lights. On the inside there is a special compartment for the filters. On the outside there are two pockets for accessories like batteries, charger, cables and on the front you can mount the stands.



litepanelBag

litepanelBag	
Description	Model No
This litepanelBag is especially designed for the Litepanel 1x1. On the inside there is a special compartment for the filters.	LP-bag
Internal dimensions: 350 x 105 x 390 mm / 13,8 x 4,1 x 15,4 inch	

Grabber Warmers

Instant heat that lasts 12 or 40 Hours+. A perfect combination with the camRade snowCoats! HEAT TREAT Adhesive Warmers are a non-toxic, environmentally friendly, odorless heat source using all natural ingredients that are non-combustible. Simply open the outer package and expose the packet to air. The Adhesive Warmer is designed to warm gradually and reach average temperature in approximately 20 minutes. Avg. temp. 127°F (53°C), max. temp. 154°F (68°C) when used as directed.



Grabber Warmers

Grabber Warmers	
Description	Model No
Warmer Pack 12 hours+ (10x)	WP - 12
Warmer Pack 40 hours+ (10x)	WP - 40

CAMRADE offers a wide variety of carrying and protective bags for all kinds of professional AV equipment. Thanks to the clever designs and use of sophisticated materials such as Cordura 1000 and solid stitchery, every CAMRADE provides your equipment with maximum protection and gives you convenience when carrying and travelling. The CAMRADE collection is expanding all the time, since suitable camRades are continually being developed for newly released hardware. The range will be completed by smart add-ons such as compartments and protective interiors.





www.camrade.com



Your Distributor

For more information contact:

camRade / Alpatron Broadcast Electronics B.V.
Schaardijk 23 • 3063 NH Rotterdam • Haven 115 • The Netherlands
T +31(0)10-453 40 00 • F +31(0)10-212 17 50 • E info@camrade.nl • I www.camrade.com

camRade USA
Fairburn Road 2080-A • Douglasville, GA 30135 • USA
T +1 6788383737 • F +1 6788383727 • E sales@camrade.com • I www.camrade.com

camRade Pacific New Zealand
PO Box 100-217 • Auckland 0745 • New Zealand
T +64 9 414 5520 • F +64 9 414 5580 • E sales@camrade.co.nz • I www.camrade.co.nz

camRade / Alpatron Broadcast Systems FZ LLC
PO Box 500717 • Al-Thuraya Tower No. 02 #25, Dubai Media City • United Arab Emirates
T +971 4 4280753 • M +971 50 939 7372 • E info@alpatron.ae • I www.camrade.com